

# UltraSense®



## POWDER-FREE NITRILE STANDARD EXAMINATION GLOVES

**Recommended for use in the following industries:**

Healthcare / Dental / Industrial Safety / Laboratory / EMS

**A nitrile glove with the fit and feel of latex.**

UltraSense® gloves are made from a patented next-generation nitrile formulation to provide comfort, while maintaining the reliable barrier protection of a synthetic glove. UltraSense® gloves provides a precise grip in both wet and dry conditions, while offering comfort for extended periods of use

**Recommended for use when:**

- Handling small instruments, where fit and feel is key
- Light tasks require excellent grip on a day-to-day basis
- Performing extended or repetitive duties that may cause hand fatigue
- When your day-to-day duties require a glove that is resistant to tapes and adhesives

### UltraSense® Attributes



For current specification information, please visit [microflex.com](http://microflex.com).

	ASTM D 6319	UltraSense®
<b>Length (mm/in):</b>	220 / 8.7	245 / 9.6
<b>Cuff Thickness (mils):</b>	n/a	2.8
<b>Palm Thickness (mils):</b>	min. 2.0	3.5
<b>Finger Thickness (mils):</b>	min. 2.0	4.7
<b>Tensile Strength</b>		
Before Aging (MPa):	min. 14	18
After Aging (MPa):	min. 14	16
<b>Elasticity/Elongation:</b>		
Before Aging (%):	min. 500	500
After Aging (%):	min. 400	400

### Order #

XS . US-220-XS      L . . . . US-220-L  
S . . US-220-S      XL . . US-220-XL  
M . US-220-M

**Material:** Nitrile (Non-Latex)      **Usage:** For single use only  
**Type:** Non-sterile      **Shape:** Ambidextrous  
**Color:** Custom Blue      **Size:** XS - XL  
**Cuff:** Beaded      **Glove Interior:** Powder-free  
**Glove Exterior:** Textured fingers

**Packaging:** 1000 gloves per case, by weight  
100 gloves per box, by weight, 10 Boxes per case

⚠ Caution: Components used in making these gloves may cause allergic reactions in some users. Follow your institution's policies for use.

U.S. Patent No. 6,451,893, U.S. Patent No. 7,176,260